

St Vincent de Paul Housing's, Social and Affordable Housing program is a large-scale project consisting of 502 apartments across 12 locations. The Maitland site, located in the lower Hunter Valley of NSW is made up of 17 units throughout a purpose designed multi-storey building. The units have been designed with open plan living in mind featuring a fresh modern décor in a style supportive of the heritage nature of the town and streetscape.

"The look and feel of the product was equally as important as performance in our decision process. We wanted to ensure that we were creating a warm, inviting and homely environment for our tenants that would span our 25 year lifecycle." explains Mr Arthur Chapman, Contract Manager at St Vincent de Paul Housing.

"Aesthetics, product performance and the life cycle costing of the product that goes into the unit are three fundamental factors in our decision-making process. Korlok by Karndean Designflooring proved to be an ideal fit and has been installed in the kitchen and living spaces throughout the units"

"Using Korlok means we have a hard wearing waterproof floor but can easily spot fix the flooring if required rather than having to pull up the entire floor. This dramatically lowers our maintenance cost whilst keeping the floor looking at its best

Sector: Social Housing

Client: St Vincent de Paul Housing

Architect: Space design Architecture (SDA)

Location: Maitland, New South Wales

Area: 3,700m2

Product used: Korlok Washed Grey Ash RKP8104










"Social and Affordable Housing interiors need to be extremely hard wearing but also homely and Karndean Korlok provides an excellent balance between the look and functionality by meeting our design requirements but also meeting strict building standard requirements such as fire and acoustic compliance." Arthur Chapman











Formats

We offer three types of product formats: Loose lay, rigid core and gluedown.

Loose lay




Karndean LooseLay features our K-Wave® friction grip backing which helps hold the product to the subfloor without adhesive, making it quick and easy to install. Ideal for underfloor access panels and temporary roomsets, each plank can be lifted individually where required.

LooseLay Originals

1050 x 250mm plank, 500 x 610mm tile

LooseLay Longboard

1500 x 250mm plank



Rigid core



Our rigid core ranges are ideal for installations where acoustics, uneven subfloors or preservation of existing hard floors need to be considered. A click-locking mechanism allows for quick installation and the preattached backing eliminates the need for a separate underlayment.

Korlok

1420 x 225mm plank, 457 x 600mm tile

Van Gogh

1220 x 180mm plank

Knight Tile


1220 x 180mm plank, 305 x 457mm tile











Gluedown



Our gluedown ranges offer our widest choice of colours and formats. Features such as textured emboss or our premium handscraped finish, wide bevels or flat edges make each range unique to Karndean Designflooring.

Art Select

228 x 76mm, 915 x 152mm, 1219 x 178mm plank

Van Gogh

1219 x 178mm plank

Opus

915 x 152mm, 1219 x 228mm plank, 457 x 610mm tile

Knight Tile


1219 x 178mm plank, 305 x 305mm, 305 x 457mm tile













Alternative designs

Create the same look for your commercial project. We have a variety of products to match, within our ranges.



Why choose a rigid core floor?

Our rigid core hybrid ranges feature a click-locking system that allows them to be installed over most existing hard floors, quickly, easily, and without the need for adhesive ensuring minimal downtown in any project.







The benefits of Karndean Rigid core





Click-locking mechanism

Planks and tiles are securely locked into place at the end seams with just one easy click.



Reduces noise transfer

Our loose lay ranges are perfect for projects where you want to reduce noise levels in the room below, such as playrooms, bedrooms and garage/ loft conversions without the need for underlay.



Quick and easy to install

Our rigid core floors are installed without the need for adhesive, ensuring minimal downtown.



Installs over most existing hard floors

All you need is a sound, smooth and dry hard surface. Our rigid core ranges can be fitted over most existing hard floors.

With all the added benefits of Karndean luxury vinyl flooring...















Realistic designs

Durable

Low maintenance

Comfort

Environmentally friendly

Hygienic

Warranty*





Technical datasheets, Installation guidelines & BIMstore files

Please follow the below QR code links to our technical datasheets, installation guidelines & BIMstore files.

Our Ranges



















<u>Technical datasheets</u>

<u>Installation Guidelines</u>

bimstere



BIMstore files

Product specified:



Korlok



		Standard	Result
	Size		1420 x 225 mm
, ×	Thickness		6.5 mm
6 ×	Wear layer		0.5 mm
	Guarantee	Commercial Residential	15 years wear* Lifetime wear*
	Slip resistance	AS/NZ4586	R10

^{*} Subject to terms. View our guarantee

Visit us online at karndean.com where you can...

Find website support

The website offers a wealth of inspiration, case studies and design ideas, detailed technical information and a look inside our head office and warehouse. When you are designing floors this is your point of reference for information, samples and practical support.

Website tools include:

Product Selector Digital Specification Library Technical data Sector application

Installation guidelines Order samples **Brochures** BIM files



Order samples

If you need some extra help selecting the best colour for your project, why not order some cutting samples? These are small swatch samples designed to help you pick which product is right for you.

www.karndean.com/commercialsamples





Check out our Digital Specification Library

We have developed a great tool which allows you to pick a room or upload a photo of your space and see what different floors will look like. It's really easy to use and will allow you to create your perfect Designflooring combination.

www.karndean.com/digitalspecificationlibrary



Sign up for our e-newsletter

We'd love to keep in touch with you. To receive our latest Karndean updates including design, technical data and BIM files, sign up online today at www.karndean.com

Keep up-to-date with us

Follow us on our social media channels.



(in) Karndean Designflooring ANZ



karndean_anz



karndean_anz



Karndean_anz



KarndeanDesignFloors





Imagery and Design Reproduction

Photography and print cannot always produce a perfect representation of our products. This includes colour, pattern variation and installation elements used. For this reason we strongly recommend obtaining a product sample and where possible viewing a larger sample in-store. We also recommend visiting our website for information on installation, after care and product selection: www.karndean.com/advice. We love developing new ideas and improving on our existing designs which means that sometimes products are withdrawn at short notice. We hate to disappoint and will work with you to find an alternative design. Please contact Customer Service for more information.

Contact us

Phone: AUS - 1800 331 170* / NZ - 0800 442 101* Email: customerservice@karndean.com.au customerservice@karndean.co.nz

Web: www.karndean.com

Address: 835 Stud Road Knoxfield, Victoria 3180, Australia

*Calls may be recorded for training and quality purposes.











