



Coda Cherry Creek is a brand new, luxury apartment complex located in the heart of Denver's Cherry Creek neighborhood. Surrounded by upscale shopping and fine dining, and located only minutes away from downtown Denver, the partners at Zocalo Community Development sought a durable floor that would match Coda's luxury aesthetic, while adhering to a strict budget.


More specifically, designers were searching for the perfect flooring solution for Coda's studio, one- and two-bedroom apartment units.

After exploring flooring options offered by other luxury vinyl tile (LVT) brands, Coda's designers selected Weathered Elm from Karndean's Opus collection. "We looked at a handful of similar products, but Karndean was able to achieve the look we wanted at the lowest cost" said Susan Maxwell, Principal at Zocalo Community Development.





Coda Luxury Apartments






Developer:

Zocalo Community Development









Area:


100,000 ft.²



Weathered Elm's mid brown and gray tones and soft grains bring a natural look to the product, which appealed to designers. In fact, after looking at products from several LVT manufacturers, designers cited Weathered Elm's realism as a key factor in their decision. Karndean is proud to be the creator and owner of every product design in our portfolio.

Visuals aside, another concern for the design team was durability. Because the flooring would be installed in residence areas, including kitchen and main living areas, designers wanted a floor that could withstand the typical daily wear and tear. Karndean's K-Guard+ protective coating and Opus' 15-year commercial warranty reassured designers that their floor would last for years to come.

The partners at Coda were impressed with the final look and cost, and residents at Coda are sure to be equally impressed with Karndean's practical benefits – our floors are waterproof, kid and pet friendly, soft underfoot, and easy to maintain with a pH neutral cleaner.



Products Specified

Products: Opus

Opus Technical Information

Thickness: 3/32" (2.5mm)

Wear Layer: 20mil (0.55mm)

Bevel: No

Size: WP511 - 34" x 4" (915 x 102mm)

Warranty: 15 Years

Slip Resistance/Result: DIN 51130 - R10

BS 7976 (Dry) - Various

BS 7976 (Wet) - Various



View the full technical data sheet



Weathered Elm (WP511)

Get the look

Create the same look as the Coda Luxury Apartments for your space. We have a variety of products to match, within our ranges.



Dusk Oak (HC03)

Thickness: 1/8" (3mm)
Wear Layer: 30mil (0.7 mm)
Bevel: Yes
Size: 36" X 6" (915 x 152mm)
Guarantee: 20 Years
Slip Resistance/Result:
DIN 51130 - R10

BS 7976 (Dry) - 62 BS 7976 (Wet) - 27 DIN 51097 - B





Limed Jute Oak (RP97)

Thickness: 1/8" (3mm)
Wear Layer: 30mil (0.7 mm)
Bevel: Yes
Size: 36" X 3" (915 x 76mm)
Guarantee: 20 Years
Slip Resistance/Result:
DIN 51130 - R10

BS 7976 (Dry) - 65 BS 7976 (Wet) - 36 DIN 51097 - C





Country Oak (VGW81T)

Thickness: 1/8" (3mm)
Wear Layer: 20mil (0.5mm)
Bevel: No
Size: 48" x 7" (1219 x 178mm)
Guarantee: 15 Years
Slip Resistance/Result:
DIN 51130 - R10

BS 7976 (Dry) - 61 BS 7976 (Wet) - 33 DIN 51097 - B





Lime Washed Oak (KP99)

Thickness: 0.08" (2mm)
Wear Layer: 12mil (0.3mm)
Bevel: No
Size: 36" x 6" (915 x 152mm)
Guarantee: 10 Years

BS 7976 (Dry) - 63 BS 7976 (Wet) - 38 DIN 51097 - B

Slip Resistance/Result:

DIN 51130 - R10



Taupe Oak (LLP309)

Thickness: 0.18" (4.5mm)
Wear Layer: 20mil (0.5mm)
Bevel: No

Size: 59" x 9.85" (1500 x 250mm)

Guarantee: 15 Years
Slip Resistance/Result:
DIN 51130 - R10
BS 7976 (Dry) - 61
BS 7976 (Wet) - 33
DIN 51097 - B






























Karndean Blog >









Download our **Product Selector App**designed to use at the point of
specification and our **AR App** that lets
you see how any Karndean floor would
look like in any setting.

